

ADDO INDIA BUTYL TUBES				
SL NO.	TUBES / CTN	TUBE SIZE	WEIGHT Kgs	Valve SIZE
HEAVY TRUCK & OTR				
1	1	25.5-25	12.500	TRJ1175C
2	1	23.5-25	11.500	TRJ1175C
3	2	20.5-25	10.400	TRJ1175C
4	2	18.00-24/25	9.400	TRJ1175C
5	2	17.5-25	9.400	TRJ1175C
6	2	16.00-24/25	8.800	TRJ1175C
7	2	15.5-25	8.800	TRJ1175C
8	4	13.00/14.00-24/25	7.000	TRJ1175C
9	4	13.00/14.00-24/25	5.700	TR 179A
10	4	12.00-24	4.500	V3-06-5
11	4	12.00-24	4.500	TR 78A
12	4	12.00-24	4.200	TR 78A
13	6	12.00-24	3.700	V3-06-5
14	6	12.00-24	3.700	TR 78A
15	3	16.00-20	6.000	TRJ1175C
AGRICULTURE RANGE				
16	2	18.4 - 34	11.000	TR 218A
17	3	15.5/16-38	6.500	TR 218A
18	3	15.5-38/16.9-38	6.500	TR218A
19	3	14.9/13-38	6.000	TR 218A
20	4	13.6/12-38	5.700	TR 218A
21	4	13.6 - 36	6.000	TR 218A
22	4	12.4/11-36	5.500	TR 218A
23	3	18.4/15-30	7.600	TR 218A
24	3	18.4/15-30	9.600	TR 218A
25	3	16.9/14-30	7.100	TR 218A
26	3	16.9/14-28	7.100	TR 218A
27	4	14.9/13-28	5.500	TR 218A
28	5	13.6/12-28	5.000	TR 218A
29	5	12.4/11-28	4.500	TR 218A
30	3	16.9 - 24	6.500	TR 218A
31	5	14.9/13-24	4.200	TR 218A
32	6	13.6/12.4-24	3.700	TR 218A
33	6	12.4/11-24	3.500	TR 218A
34	6	9.5 - 24	2.700	TR 218A
IMPLEMENT TYPE				
35	10	8.00-19	2.100	TR 15
36	10	7.00-19	1.900	TR 15
37	15	6.00-19	1.350	TR 15
38	15	5.00-19	1.250	TR 15
39	10	12.5/80-18	2.400	TR 218A
40	10	12.5/80-18	2.400	TR15
41	12	7.50-18	1.700	TR15
42	10	10.50-16	2.300	TR 15
43	10	9.00-16	2.400	TR 75
44	12	9.00-16	2.100	TR 75
45	12	9.00-16	2.100	TR 15
46	12	9.00-16 LV	1.800	TR 75
47	12	9.00-16 LV	1.800	TR 15
48	10	9.00-15	2.000	TR 75
49	10	9.00-15	2.000	TR 15
50	12	8.25-15	1.700	TR 75A
51	12	8.15-15	1.700	TR 75A
52	15	2.50 - 15	1.300	TR 77A
53	10	3.00 - 15	2.300	TR 77A
54	20	7.00-12	1.200	JS2
55	20	7.00-12	1.200	TR75A
56	35	6.00-12	0.700	JS2
57	35	5.00-12	0.600	TR 13

58	20	6.50-10	0.950	TR 13
59	20	6.00-10	0.700	TR 13
60	20	6.00-9	0.950	JS2
61	35	5.00-8	0.550	JS2
62	35	5.00-8	0.650	JS2
TRUCK & LIGHT COMMERCIAL VEHICLE				
63	6	12.00-22	3.500	TR 78A
64	6	11.00-22.5	3.500	TR 78A
65	6	11.00-22	3.500	TR 78A
66	5	14.00-20	4.500	TR 179A
67	5	14.00-20	4.200	TR 179A
68	5	13.00-20	4.000	TR 179A
69	8	12.00-20	3.200	V3-06-5
70	8	12.00-20	3.200	TR 78A
71	8	11.00-20	2.900	V3-06-5
72	8	11.00-20	2.900	TR 78A
73	9	10.00-20	2.700	V3-06-5
74	9	10.00-20	2.700	TR 78A
75	9	10.00-20	2.500	TR 78A
76	10	9.00-20	2.300	V3-06-5
77	10	9.00-20	2.300	TR 175A
78	10	9.00-20 LV	2.100	TR 175A
79	12	8.25-20	2.200	TR 15
80	12	8.25-20	1.900	TR 175A
81	12	7.50-20	1.900	V3-06-5
82	12	7.50-20	2.000	TR 175A
83	12	7.00-20	1.900	TR 75A
84	12	6.50-20	1.600	TR 15
85	12	8.25-16	1.700	TR 75A
86	12	8.25-16	1.700	TR177A
87	12	8.25-16	1.700	TR77
88	12	8.25-16	1.700	TR175A
89	12	7.50-16	1.700	TR 15
90	15	7.00/7.50-16	1.450	V3-06-5
91	15	7.00/7.50-16	1.450	TR 75A
92	15	7.00/7.50-16	1.400	TR 15
93	15	7.00/7.50-16	1.450	TR177A
94	15	7.00/7.50-16	1.450	TR77A
95	15	7.00/7.50-16	1.450	TR175A
96	15	7.00/7.50-16	1.400	TR13
97	20	6.50/6.00-16	1.100	V3-06-5
98	20	6.50/6.00-16	1.100	TR 75A
99	20	6.00-16	1.100	TR13
100	20	6.00-16	1.100	TR177A
101	20	6.50/6.00-16	1.100	TR 15
102	20	6.50/6.00-16	1.200	TR 15
103	20	6.00/6.50-15	0.900	TR 75A
104	15	7.00/7.50-15	1.300	TR 75A
105	15	7.00/7.50-15	1.300	TR 15
106	15	7.00/7.50-15	1.300	TR13
PASSENGER RADIAL				
107	15	205R16	1.400	TR 13
108	15	205/235R16	1.400	TR 75A
109	18	205/215/70R15	1.100	TR 13
110	15	215/235/75R15	1.400	TR 13
111	20	195/205 R15	1.100	TR 13
112	15	175/185/80R15	1.300	TR 13
113	20	185/195 R 15	0.900	TR 13
114	20	5.90-15	0.900	TR 13
115	20	H78-15	1.100	TR 13
116	20	F78-15	1.100	TR13
117	20	215R14	1.300	TR 13
118	25	195/80R14	1.100	TR 13
119	25	185/6.50-14	0.900	TR13
120	25	185/6.50-14	0.800	TR13
121	25	5.20-14	0.750	TR13

122	30	155/165-13	0.750	TR13
123	35	155/165-13	0.650	TR13
124	35	4.50-12	0.650	TR13
125	35	5.65-12	0.650	TR13

TWO/THREE WHEELER

126	80	3.50-7	0.200	TR13
127	50	3.50-8	0.350	V1.08-3
128	45	4.00-8	0.420	V1.08-3
129	45	4.00-8	0.420	TR 87
130	50	3.00-10	0.310	V1.08-1
131	45	3.50-10	0.410	V1.08-1
132	45	3.50-10	0.410	TR 87
133	45	90/100-10	0.410	V1.08-1
134	40	4.50/5.00-10	0.550	TR29
135	45	90/90-12	0.450	V1.08-1
136	50	2.75/3.00-14	0.350	TR4 / TR29
137	35	130/90-15	0.850	TR4 / TR29
138	50	2.25/2.50-16	0.350	TR4 / TR29
139	40	3.25/3.50-16	0.550	TR4 / TR29
140	40	110/90-16	0.550	TR4 / TR29
141	40	120/80-16	0.700	TR4 / TR29
142	45	2.75/3.00-17	0.420	TR4 / TR29
143	50	2.25/2.50-17	0.350	TR4 / TR29
144	30	460-17	0.750	TR4 / TR29
145	40	100/90-17	0.550	TR4 / TR29
146	30	120/80-17	0.800	TR4 / TR29
147	25	140/60-17	0.900	TR4 / TR29
148	45	2.25/2.50-18	0.450	TR4 / TR29
149	45	2.50/2.75-18	0.460	TR4 / TR29
150	45	2.75/3.00-18	0.500	TR4 / TR29
151	40	3.50-18	0.550	TR4 / TR29
152	40	4.10-18	0.600	TR4 / TR29
153	40	100/90-18	0.550	TR4 / TR29
154	30	120/80-18 & 150/80/18	0.850	TR4 / TR29
155	40	2.00/2.25-19	0.500	TR4 / TR29
156	40	3.00/3.25-19	0.550	TR4 / TR29
157	40	90/90-19	0.500	TR4 / TR29
158	45	3.00-21	0.550	TR4 / TR29

AUTOMOTIVE FLAPS OF NATURAL RUBBER

S.NO.	FLAPS/BAG	FLAP SIZE (to fit tyre sizes)	WEIGHT
1	60	6.00 - 9	400 Gms
2	40	6.50 - 10	600 Gms
3	25	7.00 - 12	850 Gms
4	20	7.00/8.15/8.25 - 15	1.200 Kgs
5	15	7.00/7.50/8.25/9.00 - 16	1.400 Kgs
6	10	8.25/9.00/10.00 - 20	2.200 Kgs
7	10	11.00/12.00/14.00 - 20	2.500 Kgs
8	7	12.00 - 24	2.800 Kgs
9		13.00/14.00 - 24	3.550 Kgs
10	4	17.5/18.00/20.5 - 25	6.300 Kgs
11	2	23.5/25.5/26.5 - 25	9.000 Kgs